

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371

ATTORNEY'S DOCKET NUMBER

2541-000010

U.S. APPLICATION NO. (if known, see 37 CFR 1.5

10/009028

INTERNATIONAL APPLICATION NO.

INTERNATIONAL FILING DATE

PRIORITY DATE CLAIMED

PCT/FR00/01585

08 June 2000 (8.06.00)

10 June 1999 (10.06.99)

TITLE OF INVENTION

PROCESS FOR ASSEMBLY OF METALLIC PARTS USING A METALLIC POWDER HEATED BY INDUCTION

APPLICANT(S) FOR DO/EO/US COSSU, Celine, BARBERI, Denis and LAILLE, Alain

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☐ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☒ has been communicated by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. ☒ is attached hereto.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11 to 20 below concern document(s) or information included:

11. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☐ A FIRST preliminary amendment.
14. ☐ A SECOND or SUBSEQUENT preliminary amendment.
15. ☐ A substitute specification.
16. ☐ A change of power of attorney and/or address letter.
17. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
18. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
19. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
20. ☒ Other items or information:

* Priority claimed from French Patent Application No. 99-07339 filed 10 June 1999.

Application Data Sheet (2 pgs.), Form PCT 1449 with copies of references cited thereon (2 US, 2 EP, 1 FR), copy of International Search Report (in French with English translation), copy of International Preliminary Examination Report (in French), and return postcard.

107009028 BT/FR00/01585

2541-000010

JG18 Back PPT/PTO 0 3 DEC 2001

21. ☒ The following fees are submitted:**BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)):**

Neither international preliminary examination fee (37 CFR 1.482)
nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO
and International Search Report not prepared by the EPO or JPO. \$1040.00

International preliminary examination fee (37 CFR 1.482) not paid to
USPTO but International Search Report prepared by the EPO or JPO \$890.00

International preliminary examination fee (37 CFR 1.482) not paid to USPTO
but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00

International preliminary examination fee (37 CFR 1.482) paid to USPTO
but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00

International preliminary examination fee (37 CFR 1.482) paid to USPTO
and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00

ENTER APPROPRIATE BASIC FEE AMOUNT =**CALCULATIONS PTO USE ONLY**

\$ 890.00

Surcharge of \$130.00 for furnishing the oath or declaration later than ☐ 20 ☐ 30
months from the earliest claimed priority date (37 CFR 1.492(e)).

\$ 0.00

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$
Total claims	3 - 20 =	0	x \$18.00	\$ 0.00
Independent claims	1 - 3 =	0	x \$84.00	\$ 0.00
MULTIPLE DEPENDENT CLAIM(S) (if applicable)				+ \$280.00
TOTAL OF ABOVE CALCULATIONS =				\$ 890.00

☒ Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above
are reduced by 1/2. + \$ 0.00

SUBTOTAL = \$ 890.00

Processing fee of \$130.00 for furnishing the English translation later than ☐ 20 ☐ 30
months from the earliest claimed priority date (37 CFR 1.492(f)).

\$ 0.00

TOTAL NATIONAL FEE = \$ 890.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be
accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +

\$ 0.00

TOTAL FEES ENCLOSED = \$ 890.00

Amount to be refunded:	\$
charged:	\$

- a. ☒ A check in the amount of \$ 890.00 to cover the above fees is enclosed.
- b. ☐ Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees.
A duplicate copy of this sheet is enclosed.
- c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any
overpayment to Deposit Account No. 08-0750 . A duplicate copy of this sheet is enclosed.
- d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. Credit card
information should not be included on this form. Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Linda M. Deschere
Harness, Dickey & Pierce, P.L.C.
P. O. Box 828
Bloomfield Hills, Michigan 48303
United States of America

SIGNATURE

Linda M. Deschere

NAME

34,811

REGISTRATION NUMBER

Dated: November 3, 2001

PROCESS FOR ASSEMBLY OF METALLIC PARTS USING A
METALLIC POWDER HEATED BY INDUCTION

Field of the invention

The invention is related to the assembly of metallic parts with filler metal and is somewhat similar to brazing. The induction heating process is used.

5

Prior art and problem solved

For the assembly of two metallic parts made of the same material or a different material by means of a metallic powder placed between these two parts, the objective is to heat the said metallic powder in order to temporarily transform it into a molten material to become a rigid connecting element between the two parts when it has cooled. This is a means of brazing that consists of using a metallic powder in which the melting temperature is below the melting temperature of the two parts to be assembled. Furthermore, brazing processes are known that make use of induction heating using a filler metal in powder form. Many metals may be assembled in this manner, particularly copper or stainless steel, using appropriate filler materials. For copper, alloys with a high content of copper and silver, or zinc copper are usually used. The brazing temperature is of the order of 700 to 800°C. For stainless steel, filler alloys are based on silver, copper, nickel or gold. Brazing is done at between 700 and 1100°C. The various filler materials in powder form are often mixed with a flux. In all these cases, the filler material in powder form is made of a

material different from the material from which the two parts to be assembled are made, and its melting temperature is below the melting temperature of these two parts.

5 Furthermore, the use of powders of the same nature as the parts to be assembled is known for applications with a significant connecting thickness (of the order of several millimetres). The base metal powder is always accompanied by a filler material for which the
10 melting temperature is below the melting temperature of the base metal. Pressure is always applied during the brazing cycle in order to encourage elimination of pores at the connection (see US patent 5 812 925).

Furthermore, it is known that two parts of the
15 same nature can be assembled together, for example two parts made of aluminium by using a powder made of a metallic constituent with a melting temperature that is higher than the melting temperature of the parts, for example in the case of an aluminium assembly, a mix of
20 silicon and a potassium fluoroaluminate flux. In this case, the liquid phase is still achieved at a temperature lower than the melting temperature of the two parts, due to diffusion phenomena between the powder and the parts that cause formation of a phase at
25 a melting temperature lower than the temperature of the parts.

There is another assembly technique, namely diffusion welding. But in this process, the powder inserted between the two metallic surfaces does not
30 change to the liquid state during assembly. It is a solid state welding process, in which a bond is formed by diffusion of a powder placed between metallic surfaces in contact by application of a pressure at

high temperature for a sufficiently long time without the addition of any chemical element.

Summary of the invention

5 The main purpose of the invention is a process for the assembly of two metallic parts by melting a filler material, characterized in that it consists of:

- using induction heating, and
- using a powder with a melting temperature higher
10 than or equal to the melting temperature of the two parts to be assembled when they are of the same nature, or higher than or equal to the melting temperature of the part with the lowest melting temperature for parts with different
15 natures, as a filler material, in order to make the assembly without a phase being formed at a melting temperature lower than the temperature of the two parts. In particular, the combination of these two means avoids the need
20 to use a chemical filler element and there is no need to exert a pressure at high temperature to make the bond.

 In a preferred embodiment of the invention, the two parts are of the same nature and the powder is made
25 of the same material as the material from which the parts are made, the melting temperature of the powder and the parts being the same.

 It is possible to compact the powder before it is
30 inserted between the two parts.

Detailed description of an embodiment of the invention

The invention is somewhat similar to induction brazing, but the following essential point makes it different.

5 The filler material is a metallic powder, with a melting temperature higher than or equal to the melting temperature of the two parts to be assembled in the case of an assembly of parts of the same material, or higher than or equal to the melting temperature of the
10 part with the lowest melting temperature for parts with different natures.

 The combined use of a metallic filler metal powder with induction heating introduces specific conditions during the temperature rise of this powder, such that
15 the powder is melted but the parts are not melted. The principle of induction heating of homogeneous metallic parts is based on LENZ's law that states that any electrical conducting substance subjected to a variable magnetic field will be a source of induced currents.
20 These currents dissipate heat due to the Joule effect, which causes an increase in the temperature of the material in which it is circulating. The penetration depth of the induced currents is variable depending on the frequency of the magnetic field, and on the
25 physical properties of the parts, such as the magnetic permeability and the electrical resistivity. In the case of a metallic powder, induction heating of a metallic powder implies a much more complex distribution of induced currents than would occur in
30 the same material in a dense part since the medium consisting of a metallic powder is not homogeneous. Furthermore, the presence and nature of oxide films at the surface of particles has an influence on

circulation of induced currents in the powder. Therefore, the increase in temperature due to the circulation of induced currents is very different in the powder and in the parts.

5 The observed phenomenon is due to the fact that inductive coupling may be more efficient for powder than for metallic parts. Therefore, this results in a higher temperature increase in the powder than in the dense material.

10 It is necessary to make a clear distinction between the powder in its initial state, which is not the source of induced currents, and the powder when metallic contacts between particles are set up and induced currents can circulate. In the initial state,
15 in other words at ambient temperature, the coupling conditions are usually unfavourable for powder since the electrical resistivity of the powders used is very high, due to the presence of a surface layer of oxide on the particles. However during heating, the powder
20 temperature increases due to heat transfers with the dense parts. In this case, the oxide surface layers that can exist on the surface of particles of the powder change nature or are eliminated. Furthermore, metallic contacts between the particles become
25 increasingly numerous and their surface areas increase under the effect of temperature. Therefore, the manner in which induced currents circulate in the powder changes significantly during heating, which results in a large variation of the efficiency of heating. When
30 these conditions are satisfied for the powder, its temperature may be higher than the temperature of the dense parts. Therefore, it is possible to melt the powder without melting the parts.

The efficiency of induction heating is different depending on whether the powder particles are in metallic contact or are electrically isolated from each other by oxide films.

5 Thus, when contacts between particles are made before the heating cycle, using hot-formed powder preforms, the induced currents develop at the periphery of the granular medium and, for example, facilitate the assembly of tubular-shaped parts.

10 The behaviour is very different in the case in which metallic contacts between filler metal particles are not created before the assembly. The formation of the first contacts and circulation of very intense induced currents cause very large voltage variations
15 within the granular medium. Values of the "breakdown voltage" can be reached at contacts covered with insulating films. In this case, melting at these contacts takes place quickly and extends throughout the granular medium.

20 The powder can also be compacted in advance, in order to facilitate its placement between the parts to be assembled.

 The assembly is obtained by using the normal wetting, capillarity phenomena in the same way as for
25 brazing.

 The assembly quality depends on the materials, with different parameters used, the initial characteristics of the powder and the temperature cycle.

30 The metallic parts and the powder can be composed of a pure metal or an alloy.

 The powder may be composed of a mix of particles of different metals.

The preferred application of this process applies to metallic parts and powder made of the same material.

The induction heating must stop when all the powder has melted, so that the assembly can be made
5 when all the powder is in the liquid state.

The fundamental steps in the process are as follows.

- Add a thin layer of metallic powder between two dense metallic parts to be assembled together.
- 10 - Heat the powder and dense metallic parts over a limited area by induction heating, preferably close to the joint to be made. Therefore, remember that the powder is initially heated due to the presence of dense metallic parts, these parts being the source of induced currents which explain the reason for the increase in their temperature. Heat exchanges then take place
15 between the parts and the powder. Increasingly numerous metallic contacts are set up between the particles under the effect of this heating. When they
20 are sufficiently developed, induced currents can circulate between powder particles. Consequently, the presence of dense parts is fundamental to enable the creation of these contacts and induction heating of the powder.
- 25 - Melting of the powder because inductive heating is more efficient than on dense metallic parts, therefore the temperature of the powder is higher than the temperature of the parts.
- Stop induction heating to cool the assembly, and
30 consequently to achieve solidification.

One example consists of assembling copper pellets with copper powder. The two pellets are cylindrical with a diameter of 20 mm and a height of 5 mm. A few

grams of copper powder are sandwiched between the two copper pellets, to obtain a thin layer of copper a few micrometers thick distributed as uniformly as possible over the entire area of the pellets. The size of the particle is of the order of 40 micrometers. Induction heating is achieved using a high frequency generator with a power of 25 kW. The induction coil used is an induction coil with two turns, with a diameter of 56 mm and a height of 10 mm. The assembly is made under a secondary vacuum at a frequency of 155 kHz.

In this case, the following detailed operations are performed.

- Place the two copper pellets and powder assembly in the induction coil inside a vacuum chamber.
- Close the vacuum chamber.
- Create a primary vacuum.
- Create a secondary vacuum.
- Switch the field coil generator power on.
- Adjust the power set values.
- Switch the high voltage on.
- Induction heating of the pellets and powder assembly.
- Melt the powder.
- Switch the high voltage off.
- Cool under vacuum.
- Open the vacuum chamber.
- Take the assembled assembly out of the chamber.

Another example consists of assembling Z2CN18-10 stainless steel pellets, commonly called AiSi 304 pellets, with Z12CN25-20 stainless steel powder, commonly called AiSi 310. The test results show that the mechanical strength of the assemblies is of the order of 70% of the ultimate strength of the reference

material and elongation at failure is 90% of the elongation at failure of the reference material.

The process and operating method are the same as for copper.

5

Advantages of the invention

This process can be applied to different metals and alloys.

10 It has the same advantages as high temperature brazing since it:

- avoids parts to be assembled changing to the liquid state. This can prevent some metallurgical problems such as the appearance of cracks;

15 - enables use of the assembled assemblies at high temperature;

Furthermore, the fact that parts are assembled using powder made of exactly the same material can limit impurities during assembly, which is very useful for parts used in a corrosive environment.

20 Furthermore, there is no deterioration of electrical properties at the joint. Therefore, this process can advantageously be used for connections.

Furthermore, the device preferably uses a high-frequency generator as an induction heating source.

25 Consequently, this technique is very easy to implement and can be used directly to replace traditional induction brazing for improved performances.

CLAIMS

1. Process for assembly of metallic parts by
melting a filler material, characterized in that it
5 consists of:

- heating the assembly by induction heating;
- using a powder as a filler material which has a
melting temperature higher than or equal to the melting
temperature of the material from which the parts to be
10 assembled is made for parts with the same nature, and
with a melting temperature higher than or equal to the
melting temperature of the part with the lowest melting
temperature, in order to make the assembly without a
new phase being formed by diffusion with a melting
15 temperature lower than the melting temperature of the
parts.

2. Assembly process according to claim 1,
characterized in that the material from which the parts
20 are made and the material from which the powder is made
are the same.

3. Assembly process according to claim 1,
characterized in that the powder is compacted before it
25 is inserted between the two metallic parts.

Declaration, Power Of Attorney and Petition

WE (I) the undersigned inventor(s), hereby declare(s) that :

My residence, post office address and citizenship are as stated below next to my name,

We (I) believe that we are (I am) the original, first, and joint (sole) inventor(s) of the subject matter which is claimed and for which a patent is sought on the invention entitled

PROCESS FOR ASSEMBLY OF METALLIC PARTS USING A METALLIC POWDER HEATED BY INDUCTION

the specification of which

- ☐ is attached hereto.
☐ was filed on
as Application Serial No.
and amended on
☒ was filed as PCT international application
Number PCT/FR00/01585
on June 08, 2000
and was amended under PCT Article 19
on

We (I) hereby state that we (I) have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

We (I) acknowledge the duty to disclose information known to be material to the patentability of this application as defined in Section 1.56 of Title 37 Code of Federal Regulations.

We (I) hereby claim foreign priority benefits under 35 U.S.C. § 119 (a)-(d) or § 365 (b) of any foreign application(s) for patent or inventor's certificate, or § 365 (a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed. Prior Foreign Application (s)

Application No.	Country	Day/month/Year	Priority Claimed	
99 07339	FRANCE	10 June 1999	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO
_____	_____	_____	<input type="checkbox"/> YES	<input type="checkbox"/> NO
_____	_____	_____	<input type="checkbox"/> YES	<input type="checkbox"/> NO
_____	_____	_____	<input type="checkbox"/> YES	<input type="checkbox"/> NO

We (I) hereby claim the benefit under Title 35, United States Code, § 119 (e) of any United States provisional application(s) listed below.

(Application Number)

(Filing Date)

(Application Number)

(Filing Date)

We (I) hereby claim the benefit under 35 U.S.C. §120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of prior application and the national or PCT International filing date of this application.

Application Serial No.

Filing Date

Status (pending, patented,
abandoned)

And we (I) hereby appoint : BLAIR Charles H., BRENNAN Michael P., BROCK Christopher M., BUDDIE Anna M., BURRIS Kelly K., CANTOR Bernard J., CARLSON Richard L., DESCHERE Linda M., DONLEY Garrett C., ELCHUK Mark D., ERJAVAC Stanley M., EUSEBI Christopher A., FALCOFF Monte L., FOSS Stephen J., FRENTRUP Mark A., FULLER Roland A., GIBBS Barbara S., GAMBRELL Myriah M., HALLIN Thomas H., HARRIS Gordon H., JORDAN B. Delano, KELLER Paul A., KICZEK Casimir R., LAFATA Joseph L., LALONE Douglas P., MACINTYRE Timothy D., MALINZAK Michael, MASSEY Ryan W., MCCLAUGHRY David A., MILLER H. Keith, MILLER John A., MOUSTAKAS George D., NOLAN Robert S., O'DELL Elizabeth D., OLSON Stephen T., PAPP Joseph R., RETTIG Phillip E., SCHIVLEY G. Gregory, SCHMIDT Michael J., SCHOOF George T., SIMINSKI Robert M., SMIRMAN Preston H., SNYDER Jeffrey L., SOSENKO Eric J., SOTIRIOU Evan A., STEPHENSON James E., STEVENSON Joseph L., STOBBS Gregory A., TAYLOR W.R. Duke, TELSCHER Rudolph A., UTYKANSKI David P., WADE Bryant E., WALKER Donald G., WALLACE Robert J., WALSH Joseph E., WANGEROW Ronald W., WARNER Richard W., WHEELOCK Bryan K., WIGGINS Michael D., ZALOBSKI Michael D., our (my) attorneys, with full powers of substitution and revocation, to prosecute this application and to transact all business in the Patent Office connected therewith; and we (I) hereby request that all correspondence regarding this application be sent to the firm of HARNES, DICKY & PIERCE, P.L.C., whose Address is . P.O. Box 828, Bloomfield Hills, Michigan 48303.

We (I) declare that all statements made herein of our (my) own knowledge are true and that all statements made on information and belief are believed to be true ; and further that these statements were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such wilful false statements may jeopardise the validity of the application or any patent issuing thereon.

COSSU Céline

NAME OF FIRST SOLE INVENTOR

Signature of Inventor

Residence :

18 RUE PHILIPPE LE BON
2450 SAINT APOLLINAIRE
FRANCE

Citizen of :

FRANCE

Post Office Address : The same as residence

Date

29/01/2001

300 BARBERI Denis

NAME OF SECOND INVENTOR

Signature of Inventor

Date

22/11/01

300 LAILLE Alain

NAME OF THIRD INVENTOR

Signature of Inventor

Date

13/10/2001

NAME OF FOURTH INVENTOR

Signature of Inventor

Date

NAME OF FIFTH INVENTOR

Signature of Inventor

Date

Residence : 8 Allée de Rochebonne
91220 Brétigny sur Orge
FRANCE FRX

Citizen of : FRANCE

Post Office Address : The same as residence

Residence : 3 Rue Pierre Demize
91610 BALLANCOURT
FRANCE FRX

Citizen of : FRANCE

Post Office Address : The same as residence

Residence : _____

Citizen of : _____

Post Office Address : The same as residence

Residence : _____

Citizen of : _____

Post Office Address : The same as residence